

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 16/02/2017 Revision date: 13/10/2022 Supersedes version of: 19/08/2021 Version: 4.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product form Product name UFI	: Mixture : SC8 - Fresh 365 Eco Air Freshener & Odour Neutraliser : CGRJ-70DR-F00A-VGJF	
1.2. Relevant identified uses of the substar	nce or mixture and uses advised against	
1.2.1. Relevant identified uses		
Industrial/Professional use spec Use of the substance/mixture	: For professional use only : Air freshener	
1.2.2. Uses advised against		
Restrictions on use	: Anything other than intended use as listed on the label.	
1.3. Details of the supplier of the safety dat	a sheet	
Ideal 365 Ltd Unit 1, Sunmill Gower Street Farnworth Bolton BL4 7EY Tel: 0845 450 2211 Fax: 0845 869 8336 E-mail: sales@ideal365.co.uk		
1.4. Emergency telephone number		
Emergency number	: 0845 450 2211 Monday - Friday (09:00 - 17:00)	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixt	ure	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 H318		
Adverse physicochemical, human health and environmental effects		
Causes serious eye damage. Harmful to aquatic life with long lasting effects.		
2.2. Label elements		
Labelling according to Regulation (EC) No. 1272 Hazard pictograms (CLP)	22008 [CLP] :	
Signal word (CLP) Contains Hazard statements (CLP)	 GHS05 Danger Alcohols c9-11, ethoxylated, Cocamidopropyl Betaine H318 - Causes serious eye damage. H412 - Harmful to aquatic life with long lasting effects. 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. EUH208 - Contains D-limonene(5989-27-5), citral(5392-40-5), Terpinolene(586-62-9). May
	produce an allergic reaction.
2.3. Other hazards	

Contains no PBT/vPvB substances $\ge 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols c9-11, ethoxylated	CAS-No.: 68439-46-3 EC-No.: 614-482-0 REACH-no: Exempt	≥ 5 – < 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥5-<10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium Styrene/Ma Copolymer	CAS-No.: 52500-92-2	≥1-<5	Eye Irrit. 2, H319
Cocamidopropyl Betaine	CAS-No.: 61789-40-0 EC-No.: 263-058-8	≥1-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318
C12-16 PARETH-5	CAS-No.: 68551-12-2 EC-No.: 500-221-7	< 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400
D-limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7 REACH-no: 01-2119493353- 35	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Terpinolene	CAS-No.: 586-62-9 EC-No.: 209-578-0	< 1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	< 1	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. 	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after eye contact	: Serious damage to eyes.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.	
Incompatible products	: Oxidizing agent. Strong bases. Strong acids.	
Special rules on packaging	: Keep only in original container. Store in a closed container.	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
citral (5392-40-5)		
Ireland - Occupational Exposure Limits		
Local name	Citral	
OEL TWA [2]	5 ppm IFV (Inhlable Fraction and Vapour)	
Regulatory reference	Chemical Agents Code of Practice 2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Use eye protection according to EN 166.

8.2.2.2. Skin protection

Skin and body protection:

If direct or repeated skin contact is likely, wear suitable protective clothing

Hand protection:

Where a risk of contact with hands is likely, suitable chemical resistant gloves (approved to EN 374 standard or equivalent) is recommended.

8.2.2.3. Respiratory protection

Respiratory protection:

Not required under normal conditions of use.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20°C Relative density Density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic	 Liquid light yellow. Lemon. No data available 4 - 7 No data available Not applicable No data available No data available > 65 °C No data available
Solubility Partition coefficient n-octanol/water (Log Pow)	No data available No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity	
10.1. Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Acute toxicity (oral) : Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified Not classified	
Alcohols c9-11, ethoxylated (68439-46-3)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
D-limonene (5989-27-5)		
LD50 oral rat	 > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) 	
citral (5392-40-5)		
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat	
Terpinolene (586-62-9)		
LD50 dermal rabbit	> 4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	≥ 0.588 mg/l air Animal: rat	
Skin corrosion/irritation :	Not classified pH: 4 – 7	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

рН	6.8
Serious eye damage/irritation	
senous eye damage/imation	: Causes serious eye damage. pH: 4 – 7
Alcohols c9-11, ethoxylated (68439-46-3)	
рН	6.8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
citral (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
Terpinolene (586-62-9)	
NOAEL (animal/male, F0/P)	294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-single exposure	: Not classified
isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
bronopol (INN); 2-bromo-2-nitropropane-1	,3-diol (52-51-7)
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Alcohols c9-11, ethoxylated (68439-46-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents)
citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

SECTION 12: Ecological information

: Harmful to aquatic life with long lasting effects.	
: Harmful to aquatic life with long lasting effects.	
	n : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

isopropanol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
D-limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'
citral (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Terpinolene (586-62-9)	
LC50 - Fish [1]	0.805 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.634 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.692 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.302 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names Raphidocelis subcapitata, Selenastrum capricornutum)
bronopol (INN); 2-bromo-2-nitroprop	pane-1,3-diol (52-51-7)
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.25 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	ssment

12.6. Other adverse effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations 	
European List of Waste (LoW) code	 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances 	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains D-limonene(5989-27-5), citral(5392-40-5), Terpinolene(586-62-9). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.